

ഭരണഭാഷ — മാതൃഭാഷ

സാങ്കേതിക വിദ്യാഭ്യാസ ഡയറക്ടറേറ്റ്, തിരുവനന്തപുരം

dtekerala@gmail.com

0471 2561307

നടപടിക്രമം

സാങ്കേതിക വിദ്യാഭ്യാസം — ഡയറക്ടറുടെ കാര്യാലയം, തിരുവനന്തപുരം -അക്കാദമിക് സെക്ഷൻ - സർക്കാർ വകുപ്പുകൾ/പൊതു മേഖല /ഗ്രാന്റ് ഇൻ എയിഡ് സ്ഥാപനങ്ങൾ എന്നിവ മുഖേനയുള്ള നികുതിയേതര വരുമാനം - സേവന നിരക്കുകളിൽ അഞ്ചു ശതമാനം വർദ്ധനവ് വരുത്തി ഉത്തരവ് - പുറപ്പെടുവിക്കുന്നു -

അക്കാദമിക് (എ) വിഭാഗം

നം. DTETVM/5319/2026-C2

തിരുവനന്തപുരം, തീയതി:28-07-2026

(ACA)

- വായന:-
1. സ.ഉ.(അച്ചടി) നമ്പർ 28/2019/ധന തീയതി 08.03.2019
 2. ജി ഒ (പി) നം.409/2014/ഉ.വി.വ തീയതി 23.09.2014
 3. ജി ഒ (പി) നം.311/2014/ഉ.വി.വ തീയതി 06.09.2014
 4. 30.03.2019, 28.05.2019, 14.10.2019, 30.12.2019, തീയതികളിലെ C2/11440/2019/DTE നമ്പർ ഉത്തരവ്
 5. 17.07.2024 ലെ സ ഉ(അച്ചടി) നം.55/2024 ഫിൻ
 6. 27.08.2024 തീയതിയിലെ ഈ ഓഫീസിലെ ഉത്തരവ് നമ്പർ. C2/29613/21/DTE
 7. 22.03.2025 തീയതിയിലെ ഈ ഓഫീസിലെ ഉത്തരവ് നമ്പർ DTETVM/10465/2024/C2
 8. 26.08.2025 തീയതിയിലെ ഈ ഓഫീസിലെ ഉത്തരവ് നമ്പർ DTETVM/5438/2025/C2
 8. ജി ഒ (ആർ ടി) നം. 618/2026/ഉ.വി.വ തീയതി 01./06/2026

ഉത്തരവ്

സംസ്ഥാനത്തിന്റെ സമഗ്രപശ്ചാത്തല വികസനത്തിനും സാമ്പത്തിക സുരക്ഷിതത്വവും നികുതിയേതര വരുമാനത്തിൽ കാലാകാലങ്ങളിൽ വർദ്ധനവ് വരുത്തേണ്ടത് അനിവാര്യമായതിനാൽ സർക്കാർ വകുപ്പുകൾ/ പൊതുമേഖല ഗ്രാന്റ് ഇൻ എയിഡ് സ്ഥാപനങ്ങൾ എന്നിവ മുഖേനയുള്ള എല്ലാ സേവനങ്ങൾക്കും സംസ്ഥാനത്തിന്റെ സമഗ്രപശ്ചാത്തല വികസനത്തിനും നിലവിൽ പ്രാബല്യത്തിലുള്ള ഫീസുകൾ/ ചാർജ്ജുകൾ എന്നിവയിൽ 01.04.2019 മുതൽ അഞ്ചു ശതമാനം വർദ്ധനവ് വരുത്തി മേൽ വായന (1) പ്രകാരം സർക്കാർ ഉത്തരവ് പുറപ്പെടുവിച്ചിരുന്നു. പ്രസ്തുത സർക്കാർ ഉത്തരവിനെ അടിസ്ഥാനമാക്കി അതാത് വകുപ്പുകൾ/ പൊതുമേഖല/ എയിഡ് സ്ഥാപനങ്ങൾ എന്നിവ പുതുക്കിയ സേവന നിരക്കിൽ വ്യക്തമാക്കിയുള്ള

പ്രത്യേക ഉത്തരവ് പുറപ്പെടുവിക്കേണ്ടതാണെന്ന് സർക്കാർ നിർദ്ദേശിച്ചതിന്റെ അടിസ്ഥാനത്തിൽ സാങ്കേതിക വിദ്യാഭ്യാസ വകുപ്പിൽ നിലവിലുള്ള സേവന നിരക്കുകളിൽ 1.04.2019 പ്രാബല്യത്തിൽ അഞ്ചു ശതമാനം വർദ്ധനവ് വരുത്തി മേൽ വായന (4) പ്രകാരം ഉത്തരവ് പുറപ്പെടുവിച്ചിരുന്നു.

ഓരോ വകുപ്പിലെയും നികുതിയേതര വരുമാനം വർദ്ധിപ്പിക്കുന്നതിനായി വിവിധ ഫീസുകൾ/ ഫൈനുകൾ/ സർവ്വീസ് ചാർജ്ജുകൾ എന്നിവ കാലാനുസൃതമായി വർദ്ധനവ് വരുത്തുവാൻ അതതു വകുപ്പിനെ ചുമതലപ്പെടുത്തിക്കൊണ്ട് വായന (5) പ്രകാരം സർക്കാർ ഉത്തരവ് പുറപ്പെടുവിച്ചിരുന്നു. ആയതിന്റെ അടിസ്ഥാനത്തിൽ സാങ്കേതിക വിദ്യാഭ്യാസ വകുപ്പിൽ പ്രാബല്യത്തിലുള്ള സേവന നിരക്കുകളിൽ 2021-22, 2022-23, 2023-24, 2024-2025 എന്നീ വർഷങ്ങളിൽ അഞ്ചു ശതമാനം വീതം വർദ്ധനവ് വരുത്തി വായന (6) (7) (8) പ്രകാരം ഉത്തരവ് പുറപ്പെടുവിച്ചിരുന്നു.

വായന (5) ലെ ഉത്തരവ് പ്രകാരം 2026 - 27 വർഷത്തിൽ സാങ്കേതിക വിദ്യാഭ്യാസ വകുപ്പിൽ പ്രാബല്യത്തിലുള്ള ഇതോടൊപ്പമുള്ള പട്ടികയിൽ വിവരിക്കുന്ന സേവന നിരക്കുകൾ ഈ ഓർഡർ തീയതി മുതൽ പ്രാബല്യത്തിൽ വർദ്ധനവ് വരുത്തി ഉത്തരവ് പുറപ്പെടുവിക്കുന്നു. ഇതിൽ ഉൾപ്പെടുത്താതെ ഏതെങ്കിലും ഫീസ് ഇനം ഉള്ള സ്ഥാപനങ്ങൾ ആ വിവരം അറിയിക്കേണ്ടതാണ്.

Dr JAYAPRAKASH P
DIRECTOR

സ്വീകർത്താവ്,

1. ഈ വകുപ്പിന് കീഴിലുള്ള ബന്ധപ്പെട്ട സ്ഥാപന മേധാവികളേക്കും, ജീവനക്കാർക്കും (www.dtekerala.gov.in എന്ന വെബ്സൈറ്റ് മുഖാന്തിരം).
2. ഡി.ടി.ഇ. ഐ.റ്റി. ഡിവിഷൻ (പ്രസിദ്ധീകരണത്തിന്)
3. സ്റ്റോക്ക് ഫയൽ / ഓഫീസ് കോപ്പി

Digitally signed by
Jayaprakash P
Date: 28-07-2026
11:20:47

ക്രമ നം.	ഇനം	അവസാനം പരിഷ്കരിച്ച് നിരക്ക് പ്രാബല്യത്തിൽ വന്ന ഉത്തരവ് തീയതി		5% വർധനവ് വരുത്തിയ നിരക്ക് 2026-27	കുറിപ്പ് (Rounded figure (As per G.O(P) No/28/2019/Fin Dt.08/03/2019) with effect from order date
1	Starting of KGCE Course				
	Institution Recognition Fee	20110	DTETVM/5438/2025-C2, Dated :26/08/2025	21116	21120
	Initial Course Recognition Fee (upto 4 branch)	8400	DTETVM/5438/2025-C2 Dated :26/08/2025	8820	8820
	Initial Recognition Fee for each additional branch	3400	DTETVM/5438/2025-C2 Dated :26/08/2025	3570	3570
	Renewal of Recognition Fee	3400	DTETVM/5438/2025-C2 Dated :26/08/2025	3570	3570
	Management Ownership Change Fee	3400	DTETVM/5438/2025-C2 Dated :26/08/2025	3570	3570
2	Starting of KGTE Course				
	Inspection fee for Initial Recognition	650	DTETVM/5438/2025-C2 Dated :26/08/2025	683	685
	fee for Recognition	330	DTETVM/5438/2025-C2 Dated :26/08/2025	347	350
	Renewal of Provisional Recognition	650	DTETVM/5438/2025-C2 Dated :26/08/2025	683	685
	Shifting of the School from one place to another	650	DTETVM/5438/2025-C2 Dated :26/08/2025	683	685
3	KGCE-Fine Arts & Animation				
	Initial Recognition & Inspection Fee	720	DTETVM/5438/2025-C2 Dated :26/08/2025	756	760
	Extension/Renewal	720	DTETVM/5438/2025-C2 Dated :26/08/2025	756	760

Miscellaneous Fees (For all Examinations as Applicable)					
4	Migration Certificate	210	DTETVM/5438/2025-C2 Dated :26/08/2025	221	225
5	Revision Change (Change of Scheme)	680	DTETVM/5438/2025-C2 Dated :26/08/2025	714	715
6	Fee for Duplicate Documents				
	Certificate	610	DTETVM/5438/2025-C2 Dated :26/08/2025	641	645
	Mark list/Grade Card	210	DTETVM/5438/2025-C2 Dated :26/08/2025	221	225
7	Fee for Triplicate Documents				
	Certificate	1050	DTETVM/5438/2025-C2 Dated :26/08/2025	1103	1105
	Mark list/Grade Card	280	DTETVM/5438/2025-C2 Dated :26/08/2025	294	295
8	Fee for Correcting the documents				
	Spelling Correction in Certificate	580	DTETVM/10465/2024-C2 (ACA) dated:22/03/2025	609	610
	Spelling correction in Mark list/Grade Card	200	DTETVM/10465/2024-C2 (ACA) dated:22/03/2025	210	210
9	Duplicate Hall Ticket	80	DTETVM/5438/2025-C2 Dated :26/08/2025	84	85
10	Verification of Mark lists/Grade Card & Certificates (Applicable only to Private Agencies)	1370	DTETVM/5438/2025-C2 Dated :26/08/2025	1439	1440
11	Documents Search Fee	140	DTETVM/5438/2025-C2 Dated :26/08/2025	147	150
12	Transcripts	1370		1439	1440
13	Late fee for T.C	110	DTETVM/5438/2025-C2 Dated :26/08/2025	116	120

14	Fine for duplicate T.C	210	DTETVM/5438/2025-C2 Dated :26/08/2025	221	225
15	Condonation (for all course)				
	a, First	620	DTETVM/5438/2025-C2 Dated :26/08/2025	651	655
	b, Second	920	DTETVM/5438/2025-C2 Dated :26/08/2025	966	970
	c, Third	1220	DTETVM/5438/2025-C2 Dated :26/08/2025	1281	1285
16	Consolidated mark list / Grade card (Revision 2003& 2006)	200	DTETVM/10465/2024-C2 (ACA) dated:22/03/2025	210	210
SELF FINANCING COURSES					
17	Certificate in Fire & Industrial Safety (One Year)				
	Initial Recognition Inspection Fee	20110	DTETVM/5438/2025-C2 Dated :26/08/2025	21116	21120
	Initial Recognition Fee	8400	DTETVM/5438/2025-C2 Dated :26/08/2025	8820	8820
	Shifting of Institution Fee	3400	DTETVM/5438/2025-C2 Dated :26/08/2025	3570	3570
	Renewal of Recognition Fee	3400	DTETVM/5438/2025-C2 Dated :26/08/2025	3570	3570
	Management Ownership Change Fee	3400	DTETVM/5438/2025-C2 Dated :26/08/2025	3570	3570
18	Hostel				
	Rentals for letting out rooms (Guest Charges)	110	DTETVM/5438/2025-C2 Dated :26/08/2025	116	120
19	Building/Ground rent				
	Rent of Lecture Hall per day Electricity charges	420 110	DTETVM/5438/2025-C2 Dated :26/08/2025	441 116	445 120
	Rental for College Auditorium with a seating capacity of less than 500 per day Electricity charges	1620 420	DTETVM/5438/2025-C2 Dated :26/08/2025	1701 441	1705 445

Rental for College Auditorium having seating capacity of more than 500 per day + Electricity Charges	2520 530	DTETVM/5438/2025-C2 Dated :26/08/2025	2646 557	2650 560
If the Auditorium is Air Conditioned + Electricity charges	5040 1030	DTETVM/5438/2025-C2 Dated :26/08/2025	5292 1082	5395 1085
Rate for film shooting including TV serials in the College premises (per day)	8400	DTETVM/5438/2025-C2 Dated :26/08/2025	8820	8820

Dr JAYAPRAKASH P
DIRECTOR

Digitally signed by
Jayaprakash P
Date: 28-07-2026
11:20:08

Testing Charges						
	അവസാനം പരിഷ്കരിച്ച നിരക്ക് w.e.f 26.08.2025		അവസാനം പരിഷ്കരിച്ച നിരക്ക് പ്രാബല്യത്തിൽ വന്ന ഉത്തരവ്,തീയതി.	പുതുക്കിയ നിരക്ക്	വർദ്ധനവിന്റെ നിരക്ക്	Remark (round ed figure)
1	Cement and concrete	നിരക്ക്				
	Consistency, Initial setting time, Final setting time, Compressive strength	3800	DTETVM/5438/2025-C2 Dated.26.08.2025	4750	25%	4750
	Compression test on Cement Concrete cubes and Cylinders(min 3 Nos.)	900	DTETVM/5438/2025-C2 Dated.26.08.2025	1350	50%	1350
	Flexure test on cement concrete standard beams	750	DTETVM/5438/2025-C2 Dated.26.08.2025	1125	50%	1125
2	Tiles					
	Absorption test on tiles of 3 number or less	600	DTETVM/5438/2025-C2 Dated.26.08.2025	900	50%	900
	Transverse test on tiles of 3 numbers or less	400	DTETVM/5438/2025-C2 Dated.26.08.2025	600	50%	600
	Mosaic tiles-breaking loads(wet and dry of three numbers or less	600	DTETVM/5438/2025-C2 Dated.26.08.2025	900	50%	900
	Abration test for flowing tiles including preparation of the specimenf form the supplied samples	1300	DTETVM/5438/2025-C2 Dated.26.08.2025	1625	25%	1625
	Ceramic(glazed) tiles complete tests including bending, absorption and impact strength	3150	DTETVM/5438/2025-C2 Dated.26.08.2025	3938	25%	3940
3	Paving Block					

	Compression test	600	DTETVM/5438/2025-C2 Dated.26.08.2025	900	50%	900
	Absorption Test(min 3 nos.)	600	DTETVM/5438/2025-C2 Dated.26.08.2025	900	50%	900
4	Tests on wood Transverse test Compression Test Moisture content	1750	DTETVM/5438/2025-C2 Dated.26.08.2025	2188	25%	2190
5	Aggregates (Coarse)					
	Fineness modulus	1250	DTETVM/5438/2025-C2 Dated.26.08.2025	1563	25%	1565
	Sieve analysis	1250	DTETVM/5438/2025-C2 Dated.26.08.2025	1563	25%	1565
	Abrasion test	2500	DTETVM/5438/2025-C2 Dated.26.08.2025	3125	25%	3125
	Impact test	1650	DTETVM/5438/2025-C2 Dated.26.08.2025	2063	25%	2065
	Crushing test	1900	DTETVM/5438/2025-C2 Dated.26.08.2025	2375	25%	2375
	Specific gravity and Absorption Test	1900	DTETVM/5438/2025-C2 Dated.26.08.2025	2375	25%	2375
	Bulk density	600	DTETVM/5438/2025-C2 Dated.26.08.2025	900	50%	900
	Soundness test	2500	DTETVM/5438/2025-C2 Dated.26.08.2025	3125	25%	3125
	Flakiness Index	1000	DTETVM/5438/2025-C2 Dated.26.08.2025	1500	50%	1500
	Elongation Index	1000	DTETVM/5438/2025-C2 Dated.26.08.2025	1500	50%	1500
	Percentage of voids	650	DTETVM/5438/2025-C2 Dated.26.08.2025	1500	50%	1500
	CBR	10350	DTETVM/5438/2025-C2 Dated.26.08.2025	11903	15%	11905
	Gradation(Wet)	1400	DTETVM/5438/2025-C2 Dated.26.08.2025	1750	25%	1750
6	Sand or Fine aggregate					
	Fineness modulus	1450	DTETVM/5438/2025-C2 Dated.26.08.2025	1813	25%	1815
	Sieve analysis	1450	DTETVM/5438/2025-C2 Dated.26.08.2025	1813	25%	1815
	Specific gravity and Absorption	1150	DTETVM/5438/2025-C2 Dated.26.08.2025	1438	25%	1440

	Test					
	Percentage of voids	1000	DTETVM/5438/2025-C2 Dated.26.08.2025	1500	50%	1500
	Bulking factor	1150	DTETVM/5438/2025-C2 Dated.26.08.2025	1438	25%	1440
	bulk density	1150	DTETVM/5438/2025-C2 Dated.26.08.2025	1438	25%	1440
7	Bitumen					
	Ductility	1400	DTETVM/5438/2025-C2 Dated.26.08.2025	1750	25%	1750
	Penetration	1400	DTETVM/5438/2025-C2 Dated.26.08.2025	1750	25%	1750
	Abar's flash point	2500	DTETVM/5438/2025-C2 Dated.26.08.2025	3125	25%	3125
	Softening point	1400	DTETVM/5438/2025-C2 Dated.26.08.2025	1750	25%	1750
	Viscosity	2000	DTETVM/5438/2025-C2 Dated.26.08.2025	2500	25%	2500
	Sp.Gravity	1400	DTETVM/5438/2025-C2 Dated.26.08.2025	1750	25%	1750
	Extraction	4400	DTETVM/5438/2025-C2 Dated.26.08.2025	5500	25%	5500
	Fatigue test	13920	DTETVM/5438/2025-C2 Dated.26.08.2025	16008	15%	16010
	Stiffness test	13920	DTETVM/5438/2025-C2 Dated.26.08.2025	16008	15%	16010
	Dynamic Cone Penetration	2000	DTETVM/5438/2025-C2 Dated.26.08.2025	2500	25%	2500
	Creep	13920	DTETVM/5438/2025-C2 Dated.26.08.2025	16008	15%	16010
	Mastic Asphalt Harness Tester	6250	DTETVM/5438/2025-C2 Dated.26.08.2025	7813	25%	7815
8	Bumb Integrator	8250	DTETVM/5438/2025-C2 Dated.26.08.2025	10313	25%	10315
9	Merlin	5200	DTETVM/5438/2025-C2 Dated.26.08.2025	6500	25%	6500
10	Clug Impact Testing	2000	DTETVM/5438/2025-C2 Dated.26.08.2025	2500	25%	2500
11	Benkleman beam Deflection	3150	DTETVM/5438/2025-C2 Dated.26.08.2025	3938	25%	3940
12	Core Cutter	3150	DTETVM/5438/2025-C2 Dated.26.08.2025	3938	25%	3940
13	Geogauge	6300	DTETVM/5438/2025-C2 Dated.26.08.2025	7875	25%	7875
14	Portable type Weigh Bridge	4150	DTETVM/5438/2025-C2 Dated.26.08.2025	5188	25%	5190
	Silt and Clay		DTETVM/5438/2025-			

Dr

15	Content	1300	C2 Dated.26.08.2025	1625	25%	1625
16	Metals					
	Taking weight per meter of steel rods (Average of 6 numbers)	400	DTETVM/5438/2025-C2 Dated.26.08.2025	600	50%	600
	Tension test-Yield strength, Ultimate strength, % elongation	1500	DTETVM/5438/2025-C2 Dated.26.08.2025	1875	25%	1875
	Tension test for ultimate load in welded joints/wire	1300	DTETVM/5438/2025-C2 Dated.26.08.2025	1625	25%	1625
	Tension test for ultimate load in wire ropes	1300	DTETVM/5438/2025-C2 Dated.26.08.2025	1625	25%	1625
	Thickness measurement of metal sheets (Average of 6 numbers)	400	DTETVM/5438/2025-C2 Dated.26.08.2025	600	50%	600
	Cold Bending test	1150	DTETVM/5438/2025-C2 Dated.26.08.2025	1438	25%	1440
	Hardness test-Single specimen	800	DTETVM/5438/2025-C2 Dated.26.08.2025	1200	50%	1200
	Hardness test-average of 3 sets	1150	DTETVM/5438/2025-C2 Dated.26.08.2025	1438	25%	1440
	Impact test-Single specimen	400	DTETVM/5438/2025-C2 Dated.26.08.2025	600	50%	600
	Impact test-average of 3 sets	1250	DTETVM/5438/2025-C2 Dated.26.08.2025	1563	25%	1565
	Shear test	600	DTETVM/5438/2025-C2 Dated.26.08.2025	900	50%	900
	Fatigue test	1500	DTETVM/5438/2025-C2 Dated.26.08.2025	1875	25%	1875
	Rivet test	800	DTETVM/5438/2025-C2 Dated.26.08.2025	1200	50%	1200
	Testing of springs (Tension or Compression)	1250	DTETVM/5438/2025-C2 Dated.26.08.2025	1563	25%	1565
17	Bricks					
	Taking measurements for one brick (Average of 6	400	DTETVM/5438/2025-C2 Dated.26.08.2025	600	50%	600

	numbers)					
	Efflorescence test on brick	750	DTETVM/5438/2025-C2 Dated.26.08.2025	1125	50%	1125
	Absorption test on bricks	600	DTETVM/5438/2025-C2 Dated.26.08.2025	900	50%	900
	Transverse test on bricks	600	DTETVM/5438/2025-C2 Dated.26.08.2025	900	50%	900
18	Calibrations of machine (T.A and D.A for one teaching staff and one non teaching staff extra if at other stations)	6300	DTETVM/5438/2025-C2 Dated.26.08.2025	7875	25%	7875
19	Transverse test on Rocks	700	DTETVM/5438/2025-C2 Dated.26.08.2025	1050	50%	1050
20	Testing Charges					
	Sulphate	1500	DTETVM/5438/2025-C2 Dated.26.08.2025	1875	25%	1875
	Chloride	1900	DTETVM/5438/2025-C2 Dated.26.08.2025	2375	25%	2375
	Iron	1500	DTETVM/5438/2025-C2 Dated.26.08.2025	1875	25%	1875
	Total Solids	1200	DTETVM/5438/2025-C2 Dated.26.08.2025	1500	25%	1500
	pH	750	DTETVM/5438/2025-C2 Dated.26.08.2025	1125	50%	1125
	Total suspended solids	1300	DTETVM/5438/2025-C2 Dated.26.08.2025	1625	25%	1625
	Total dissolved solids	1300	DTETVM/5438/2025-C2 Dated.26.08.2025	1625	25%	1625
	Organic contents in solids	1500	DTETVM/5438/2025-C2 Dated.26.08.2025	1875	25%	1875
	Inorganic content in solids	1250	DTETVM/5438/2025-C2 Dated.26.08.2025	1563	25%	1565
	Acidity	1150	DTETVM/5438/2025-C2 Dated.26.08.2025	1438	25%	1440

	Alkanity	1150	DTETVM/5438/2025-C2 Dated.26.08.2025	1438	25%	1440
	Hardness	1150	DTETVM/5438/2025-C2 Dated.26.08.2025	1438	25%	1440
	Nitrates	1900	DTETVM/5438/2025-C2 Dated.26.08.2025	2375	25%	2375
	MPN	1900	DTETVM/5438/2025-C2 Dated.26.08.2025	2375	25%	2375
21	Testing of soil					
	Sulphate	1250	DTETVM/5438/2025-C2 Dated.26.08.2025	1563	Soil testing for individual 50%. Soil test for agriculture purpose and construction for residential purpose	1565
	Chloride	1500	DTETVM/5438/2025-C2 Dated.26.08.2025	1875		1875
	Iron	1250	DTETVM/5438/2025-C2 Dated.26.08.2025	1563		1565
	Organic contents in solids	1150	DTETVM/5438/2025-C2 Dated.26.08.2025	1438		1440
	pH	900	DTETVM/5438/2025-C2 Dated.26.08.2025	1350		1350
	Nitrates	1500	DTETVM/5438/2025-C2 Dated.26.08.2025	1875		1875
22	Heavy metal per sample using atomic absorption spectrometer	1500 per heavy metal	DTETVM/5438/2025-C2 Dated.26.08.2025	1875 per heavy metal	25%	1875
23	Heavy metal (Mercury) per sample using atomic Absorption Spectrophotometer	1900	DTETVM/5438/2025-C2 Dated.26.08.2025	2375	25%	2375
24	BOD per sample	1400	DTETVM/5438/2025-C2 Dated.26.08.2025	1750	25%	1750
25	COD per sample	900	DTETVM/5438/2025-C2 Dated.26.08.2025	1350	50%	1350
26	TOC (using TOC Analyzer)	1150	DTETVM/5438/2025-C2 Dated.26.08.2025	1438	25%	1440
27	Consolidation of soil					
	a) Coefficient of consolidation	5200	DTETVM/5438/2025-	6500	25%	6500

	b) Compress index	8250	C2 Dated.26.08.2025 DTETVM/5438/2025-C2 Dated.26.08.2025	10313	25%	10315
28	Permeability test on soil	3150	DTETVM/5438/2025-C2 Dated.26.08.2025	3938	25%	3940
29	Unconfined compression test on soil	3150	DTETVM/5438/2025-C2 Dated.26.08.2025	3938	25%	3940
30	Specific Gravity of soil	1250	DTETVM/5438/2025-C2 Dated.26.08.2025	1563	25%	1565
31	Dry Sieve analysis of soil	1500	DTETVM/5438/2025-C2 Dated.26.08.2025	1875	25%	1875
	Wet Sieve analysis of soil	2500	DTETVM/5438/2025-C2 Dated.26.08.2025	3125	25%	3125
32	Hydrometer analysis of soil	3150	DTETVM/5438/2025-C2 Dated.26.08.2025	3938	25%	3940
33	Atterberg limits					
	a) Liquid limit	1500	DTETVM/5438/2025-C2 Dated.26.08.2025			
	b) Plastic limit			1875	25%	1875
	c) Shrinkage limit					
34	Triaxial test (UU)	8250	DTETVM/5438/2025-C2 Dated.26.08.2025	10313	25%	10315
35	Moisture content of soil(sealed sample)	750	DTETVM/5438/2025-C2 Dated.26.08.2025	1125	50%	1125
36	Direct shear test	4150	DTETVM/5438/2025-C2 Dated.26.08.2025	5188	25%	5190
	DEPARTMENT OF ELECTRICAL ENGINEERING					
1	Insulators					
	1. Power frequency-Dry one minute with	1500	DTETVM/5438/2025-	1875	25%	1875

	stand test (two units)		C2 Dated.26.08.2025			
	2. Power frequency-Dry flash over Test (two units)	1500	DTETVM/5438/2025-C2 Dated.26.08.2025	1875	25%	1875
	3. Power frequency-wet one minute withstand test (two units)	1500	DTETVM/5438/2025-C2 Dated.26.08.2025	1875	25%	1875
	4. Power frequency-wet flash over Test (two units)	1500	DTETVM/5438/2025-C2 Dated.26.08.2025	1875	25%	1875
	5. Puncture test	1500	DTETVM/5438/2025-C2 Dated.26.08.2025	1875	25%	1875
2	Bushings					
	1. Power frequency-dry withstand test two units)	1500	DTETVM/5438/2025-C2 Dated.26.08.2025	1875	25%	1875
	2. Power frequency-wet withstand test(two units)	1500	DTETVM/5438/2025-C2 Dated.26.08.2025	1875	25%	1875
	3. Visible discharge test (two Units)	1500	DTETVM/5438/2025-C2 Dated.26.08.2025	1875	25%	1875
3	Isolators					
	1. Power frequency-dry withstand test(between poles) two units	1900	DTETVM/5438/2025-C2 Dated.26.08.2025	2375	25%	2375
	2. Power frequency-dry withstand test Poles to ground(two units)	1900	DTETVM/5438/2025-C2 Dated.26.08.2025	2375	25%	2375
	3. Power frequency-wet withstand test between poles(two units)	1900	DTETVM/5438/2025-C2 Dated.26.08.2025	2375	25%	2375
	4.Power frequency-wet withstand test poles to ground(two units)	1900	DTETVM/5438/2025-C2 Dated.26.08.2025	2375	25%	2375
	5. Temperature rise test up to 500A	2500	DTETVM/5438/2025-C2 Dated.26.08.2025	3125	25%	3125

4	Power Transformer					
	High Voltage test	2500	DTETVM/5438/2025-C2 Dated.26.08.2025	3125	25%	3125
5	Lightning Arrestors					
	1. 50 cycles gap-flash over test in complete arrestor	1500	DTETVM/5438/2025-C2 Dated.26.08.2025	1875	25%	1875
	2. Leakage current at maximum operating voltage	1500	DTETVM/5438/2025-C2 Dated.26.08.2025	1875	25%	1875
6	Oils and liquid dielectric					
	Dielectric strength(per sample)	1500	DTETVM/5438/2025-C2 Dated.26.08.2025	1875	25%	1875
7	Three phase induction motors(up to 15 hp)					
	1.Measurement of resistance	900	DTETVM/5438/2025-C2 Dated.26.08.2025	1350	50%	1350
	2.No-load running of motor and reading of voltage, current , power input and speed.	900	DTETVM/5438/2025-C2 Dated.26.08.2025	1350	50%	1350
	3. Locked rotor reading of voltage, current power input and torque	900	DTETVM/5438/2025-C2 Dated.26.08.2025	1350	50%	1350
	4. Temperature rise test	1500	DTETVM/5438/2025-C2 Dated.26.08.2025	1875	25%	1875
	5. High voltage test	1500	DTETVM/5438/2025-C2 Dated.26.08.2025	1875	25%	1875
	6. Insulation resistance test	900	DTETVM/5438/2025-C2 Dated.26.08.2025	1350	50%	1350
	For Conducting all tests Rs.2000/- per Unit					

8	Integrating meters					
	a) Single phase 2-wire whole current watt hour meters					
	1. Insulation resistance test	1900	DTETVM/5438/2025-C2 Dated.26.08.2025	2375	25%	2375
	2. High Voltage test	1900	DTETVM/5438/2025-C2 Dated.26.08.2025	2375	25%	2375
	3. Non-registration with voltage alone	1500	DTETVM/5438/2025-C2 Dated.26.08.2025	1875	25%	1875
	4. Starting	1500	DTETVM/5438/2025-C2 Dated.26.08.2025	1875	25%	1875
	5.Limits of error	1900	DTETVM/5438/2025-C2 Dated.26.08.2025	2375	25%	2375
	6. Temperature rise	1900	DTETVM/5438/2025-C2 Dated.26.08.2025	2375	25%	2375
	7. Effect of variation of voltage	1900	DTETVM/5438/2025-C2 Dated.26.08.2025	2375	25%	2375
	8. Effect of variation of frequency	1900	DTETVM/5438/2025-C2 Dated.26.08.2025	2375	25%	2375
	9. Effect of external magnetic field	1900	DTETVM/5438/2025-C2 Dated.26.08.2025	2375	25%	2375
	10. Adjustment	1900	DTETVM/5438/2025-C2 Dated.26.08.2025	2375	25%	2375
	11. Continuous current	1900	DTETVM/5438/2025-C2 Dated.26.08.2025	2375	25%	2375
	12. Effect of short circuit	1900	DTETVM/5438/2025-C2 Dated.26.08.2025	2375	25%	2375
	13. Sustained accuracy	1900	DTETVM/5438/2025-C2 Dated.26.08.2025	2375	25%	2375
	b) Three Phase 2-wire whole current watt hour					

	1. Insulation meters resistance test	3150	DTETVM/5438/2025-C2 Dated.26.08.2025	3938	25%	3940
	2.High Voltage test	3150	DTETVM/5438/2025-C2 Dated.26.08.2025	3938	25%	3940
	3.Non-registration with voltage alone	2500	DTETVM/5438/2025-C2 Dated.26.08.2025	3125	25%	3125
	4.Starting	2500	DTETVM/5438/2025-C2 Dated.26.08.2025	3125	25%	3125
	5.Limits of error	3150	DTETVM/5438/2025-C2 Dated.26.08.2025	3938	25%	3940
	6.Temperature rise	3150	DTETVM/5438/2025-C2 Dated.26.08.2025	3938	25%	3940
	7.Effect of variation of voltage	3150	DTETVM/5438/2025-C2 Dated.26.08.2025	3938	25%	3940
	8.Effect of variation of frequency	3150	DTETVM/5438/2025-C2 Dated.26.08.2025	3938	25%	3940
	9.Effect of oblique suspensions	3150	DTETVM/5438/2025-C2 Dated.26.08.2025	3938	25%	3940
	10.Effect of external magnetic field	3150	DTETVM/5438/2025-C2 Dated.26.08.2025	3938	25%	3940
	11.Adjustment	3150	DTETVM/5438/2025-C2 Dated.26.08.2025	3938	25%	3940
	12.Continuous current	3150	DTETVM/5438/2025-C2 Dated.26.08.2025	3938	25%	3940
	13.Effect of Short circuit	3150	DTETVM/5438/2025-C2 Dated.26.08.2025	3938	25%	3940
	14. Sustained accuracy	3150	DTETVM/5438/2025-C2 Dated.26.08.2025	3938	25%	3940
9	Electric fuses up to 650V					
	1. High Voltage test (3 samples)	2500	DTETVM/5438/2025-C2 Dated.26.08.2025	3125	25%	3125
	2. Insulation resistance test (3 samples)	2500	DTETVM/5438/2025-C2 Dated.26.08.2025	3125	25%	3125
	3. Temperature rise test up to 100A (3 samples)	2500	DTETVM/5438/2025-C2 Dated.26.08.2025	3125	25%	3125
	4. Temperature rise test above 100A (3 samples)	2500	DTETVM/5438/2025-C2 Dated.26.08.2025	3125	25%	3125
10	Electric fuses above 650V		DTETVM/5438/2025-C2 Dated.26.08.2025			
	1. Insulation					

	resistance test (2 samples)	1500	DTETVM/5438/2025-C2 Dated.26.08.2025	1875	25%	1875
	2. High Coltage test-dry withstand test (2 samples)	1500	DTETVM/5438/2025-C2 Dated.26.08.2025	1875	25%	1875
	3.High Voltage test-wet withstand test (2 samples)	1500	DTETVM/5438/2025-C2 Dated.26.08.2025	1875	25%	1875
	4.Temperature rise test (2 samples)	1500	DTETVM/5438/2025-C2 Dated.26.08.2025	1875	25%	1875
11	Non-metallic rigid conducts for electric al installations (3 samples)					
	1. Dielectric strength	1900	DTETVM/5438/2025-C2 Dated.26.08.2025	2375	25%	2375
	2.Insulation test	1900	DTETVM/5438/2025-C2 Dated.26.08.2025	2375	25%	2375
12	a) PVC Cables up to 6mm² (2 samples)					
	1.High Voltage test (2 Samples)	1500	DTETVM/5438/2025-C2 Dated.26.08.2025	1875	25%	1875
	2.Resistance mesurement(2 samples)	1500	DTETVM/5438/2025-C2 Dated.26.08.2025	1875	25%	1875
	3. Insulation resistance test(2 samples)	1500	DTETVM/5438/2025-C2 Dated.26.08.2025	1875	25%	1875
	4. Volume Resistivity test	1500	DTETVM/5438/2025-C2 Dated.26.08.2025	1875	25%	1875
	5. Flammability test	1500	DTETVM/5438/2025-C2 Dated.26.08.2025	1875	25%	1875
	6. Wrapping t est	1500	DTETVM/5438/2025-C2 Dated.26.08.2025	1875	25%	1875
	7. For conducting Complete Test (2 Samples)	6250	DTETVM/5438/2025-C2 Dated.26.08.2025	7813	25%	7815
	b) PVC Cables from 6mm² to 185 mm² (2 samples)					
	1.High Voltage test (	6250	DTETVM/5438/2025-	7813	25%	7815

	2 samples)		C2 Dated.26.08.2025			
	2. Resistance measurement(2 samples)	3150	DTETVM/5438/2025-C2 Dated.26.08.2025	3938	25%	3940
	3. Insulation resistance test (2 samples)	3150	DTETVM/5438/2025-C2 Dated.26.08.2025	3938	25%	3940
	4. Volume Resistivity test	2500	DTETVM/5438/2025-C2 Dated.26.08.2025	3125	25%	3125
	5.Flammability test	2500	DTETVM/5438/2025-C2 Dated.26.08.2025	3125	25%	3125
	6.For conducting complete test (2 samples)	13920	DTETVM/5438/2025-C2 Dated.26.08.2025	16008	15%	16010
	c) PVC Cables above 185 mm² (2 samples)					
	1.High Voltage test (2 samples)	10320	DTETVM/5438/2025-C2 Dated.26.08.2025	11868	15%	11870
	2.Resistance measurement(2 samples)	5190	DTETVM/5438/2025-C2 Dated.26.08.2025	6488	25%	6490
	3.Insulation resistance test (2 samples)	5190	DTETVM/5438/2025-C2 Dated.26.08.2025	6488	25%	6490
	4.Volume Resistivity test	2500	DTETVM/5438/2025-C2 Dated.26.08.2025	3125	25%	3125
	5.Flammability test	2500	DTETVM/5438/2025-C2 Dated.26.08.2025	3125	25%	3125
	d) XLPE Cables up to 185 mm² (2 samples)					
	1. High Voltage test (2 samples)	10320	DTETVM/5438/2025-C2 Dated.26.08.2025	11868	15%	11870
	2.Resistance measurement (2 samples)	5190	DTETVM/5438/2025-C2 Dated.26.08.2025	6488	25%	6490
	3.Insulation resistance test (2 samples)	5190	DTETVM/5438/2025-C2 Dated.26.08.2025	6488	25%	6490
	4.Volume Resistivity test	2500	DTETVM/5438/2025-C2 Dated.26.08.2025	3125	25%	3125
	5.Flammability test	2500	DTETVM/5438/2025-	3125	25%	3125

	d) XLPE Cables above 185 mm² (2 samples)		C2 Dated.26.08.2025			
	1.Resistance measurement (2 samples)	10320	DTETVM/5438/2025-C2 Dated.26.08.2025	11868	15%	11870
	2.Insulation resistance test (2 samples)	10320	DTETVM/5438/2025-C2 Dated.26.08.2025	11868	15%	11870
	3.Volume Resistivity test	5190	DTETVM/5438/2025-C2 Dated.26.08.2025	6488	25%	6490
	4.. Flammability test	5190	DTETVM/5438/2025-C2 Dated.26.08.2025	6488	25%	6490
13	Batteries-Lead Acid type with Electrolyte					
	1.Test for capacities	1900	DTETVM/5438/2025-C2 Dated.26.08.2025	2375	25%	2375
	2.Charging and Testing for capacities	2500	DTETVM/5438/2025-C2 Dated.26.08.2025	3125	25%	3125
	3.Retention of charge	2650	DTETVM/5438/2025-C2 Dated.26.08.2025	3313	25%	3315
14	Tests on Press boards, Varnished cloth and other insulating materials (3 samples)					
	1. Electric Strength	2500	DTETVM/5438/2025-C2 Dated.26.08.2025	3125	25%	3125
	2.Puncture	2500	DTETVM/5438/2025-C2 Dated.26.08.2025	3125	25%	3125
15	Measurement of Resistance, Inductance, Capacitance, Permeability etc.	Rs.200/- for each test	DTETVM/5438/2025-C2 Dated.26.08.2025	300/- for each test	50%	300
16	Additional Items					
	Calibration of multi range meters- Rs.250/- for every	2500	DTETVM/5438/2025-C2 Dated.26.08.2025	3125	25%	3125

	additional range					
17	Chokes					
	1.Temperature rise test	750	DTETVM/5438/2025- C2 Dated.26.08.2025	1125	50%	1125
	2.High Voltage test	400	DTETVM/5438/2025- C2 Dated.26.08.2025	600	50%	600
	3.Insulation resistance test	400	DTETVM/5438/2025- C2 Dated.26.08.2025	600	50%	600
	4.Power measurement	400	DTETVM/5438/2025- C2 Dated.26.08.2025	600	50%	600
18	Starters					
	1.Starting test	400	DTETVM/5438/2025- C2 Dated.26.08.2025	600	50%	600
	2. High Voltage test	400	DTETVM/5438/2025- C2 Dated.26.08.2025	600	50%	600
19	M.V. Ballasts					
	1. Temperature rise test	600	DTETVM/5438/2025- C2 Dated.26.08.2025	900	50%	900
	2. Test fuse current	600	DTETVM/5438/2025- C2 Dated.26.08.2025	900	50%	900
	3. High Voltage test	400	DTETVM/5438/2025- C2 Dated.26.08.2025	600	50%	600
	4. Insulation resistance test	400	DTETVM/5438/2025- C2 Dated.26.08.2025	600	50%	600
20	Capacitor for M.V Lamps					
	1. High Voltage test to container	400	DTETVM/5438/2025- C2 Dated.26.08.2025	600	50%	600
	2. Capacitance measurement	750	DTETVM/5438/2025- C2 Dated.26.08.2025	1125	50%	1125
	3. Thermal stability test	2500	DTETVM/5438/2025- C2 Dated.26.08.2025	3125	25%	3125
1	Viscosity Index for Petroleum products	900	DTETVM/5438/2025- C2 Dated.26.08.2025	1350	50%	1350
2	Flash & Fire point f or petroleum products	900	DTETVM/5438/2025- C2 Dated.26.08.2025	1350	50%	1350
3	Calorific Value of Fuels	1900	DTETVM/5438/2025- C2 Dated.26.08.2025	2375	25%	2375
4	Testing of Centrifugal pumps	2500	DTETVM/5438/2025- C2 Dated.26.08.2025	3125	25%	3125

5	Testing of reciprocating Pumps	2500	DTETVM/5438/2025-C2 Dated.26.08.2025	3125	25%	3125
6	Diesel Engine Testing up to 10 HP	6250	DTETVM/5438/2025-C2 Dated.26.08.2025	7813	25%	7815
	10 to 25 HP	8250	DTETVM/5438/2025-C2 Dated.26.08.2025	10313	25%	10315
	25 to 50 HP	10400	DTETVM/5438/2025-C2 Dated.26.08.2025	11960	15%	11960
7	Testing of water meters acceptance test	1500	DTETVM/5438/2025-C2 Dated.26.08.2025	1875	25%	1875
8	Pressure Gauge					
	below 5 Kg cm^2 1	1150	DTETVM/5438/2025-C2 Dated.26.08.2025	1438	25%	1440
	above 5 Kg cm^2 1	1820	DTETVM/5438/2025-C2 Dated.26.08.2025	2275	25%	2275
9	Calibration and adjustment of Pressure gauge	2000	DTETVM/5438/2025-C2 Dated.26.08.2025	2500	25%	2500
10	Diesel Engine nozzle testing	1500	DTETVM/5438/2025-C2 Dated.26.08.2025	1875	25%	1875
11	Radiator Performance testing	1250	DTETVM/5438/2025-C2 Dated.26.08.2025	1563	25%	1565
12	Petrol Engine Testing					
	0-10 HP	8250	DTETVM/5438/2025-C2 Dated.26.08.2025	10313	25%	10315
	10-25 HP	10320	DTETVM/5438/2025-C2 Dated.26.08.2025	11868	15%	11870
	25-50 HP	12400	DTETVM/5438/2025-C2 Dated.26.08.2025	14260	15%	14260
13	Pipe testing					
	0.5 inches to 2 inches	4150	DTETVM/5438/2025-C2 Dated.26.08.2025	5188	25%	5190
	2.5. inches to 10 inches	6250	DTETVM/5438/2025-C2 Dated.26.08.2025	7813	25%	7815
14	Pollution Testing					
	1. Petrol		DTETVM/5438/2025-			

	Vehicles	150	C2 Dated.26.08.2025	225	50%	225
	2.Diesel Vehicles	300	DTETVM/5438/2025-C2 Dated.26.08.2025	450	50%	450
15	Performance Testin g of refrigerators	2500	DTETVM/5438/2025-C2 Dated.26.08.2025	3125	25%	3125
16	Performance of ai r conditioners	2500	DTETVM/5438/2025-C2 Dated.26.08.2025	3125	25%	3125
17	Fuel Consumption t est for automobiles					
	Motor cycles	900	DTETVM/5438/2025-C2 Dated.26.08.2025	1350	50%	1350
	Light Motor Vehicles	2500	DTETVM/5438/2025-C2 Dated.26.08.2025	3125	25%	1325
	Mini Buses/ Jeeps	4150	DTETVM/5438/2025-C2 Dated.26.08.2025	5188	25%	5190

JAYAPRAKASH P
DIRECTOR

Digitally signed by
Jayaprakash P
Date: 28-07-2026
11:19:04